

Цанговые штуцеры из полимера

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZC-G

Raccordo diritto maschio cilindrico

Straight male fitting, with cylindric thread

Фитинг прямой с цилиндрической резьбой и уплотнительным кольцом




tubo (øD) tube трубка	R	øP	B	A	ch1	ch2	confez. package упак.	codice code код
4	M5	-	20.3	3.5	10	2	10	36.800.0
4	G1/8"	14	19.5	5.5	10	3	10	36.801.0
4	G1/4"	17	18.6	7.5	17	3	10	36.802.0
6	M5	-	21	3.5	12	2	10	36.803.0
6	G1/8"	14	22	5.5	12	4	10	36.804.0
6	G1/4"	17	22.5	7.5	12	4	10	36.805.0
6	G3/8"	20	20.3	7.5	12	4	10	36.806.0
8	G1/8"	14	25	5.5	14	4	10	36.807.0
8	G1/4"	17	24	7.5	17	5	10	36.808.0
8	G3/8"	20	20.5	7.5	20	6	10	36.809.0
8	G1/2"	24	24	10	24	6	10	36.810.0
10	G1/8"	14	29	5.5	14	4	10	36.811.0
10	G1/4"	17	30.5	7.5	17	6	10	36.812.0
10	G3/8"	20	27	7.5	20	8	10	36.813.0
10	G1/2"	24	30	10	24	8	10	36.814.0
12	G1/4"	17	33	7.5	17	6	10	36.815.0
12	G3/8"	20	28	7.5	20	8	10	36.816.0
12	G1/2"	24	30.5	10	24	8	5	36.817.0
16	G3/8"	20	35	7.5	20	8	5	36.819.0
16	G1/2"	24	37	10	24	10	5	36.820.0

AZOC-G

Raccordo diritto maschio cilindrico con esagono per chiave incassato

Straight male fitting, with cylindric thread and internal key hexagon

Фитинг прямой с цилиндрической резьбой и внутренним шестиугольником для ключа



tubo (øD) tube трубка	R	øP	B	A	H	confez. package упак.	codice code код
4	G1/8"	14	19	5.5	3	10	36.1131.0
4	G1/4"	17	17.5	7.5	3	10	36.1132.0
6	G1/8"	14	22	5.5	4	10	36.1134.0
6	G1/4"	17	22.5	7.5	4	10	36.1135.0
6	G3/8"	20	18	7.5	4	5	36.1136.0
8	G1/8"	14	25	5.5	4	10	36.1137.0
8	G1/4"	17	24	7.5	5	10	36.1138.0
8	G3/8"	20	20.5	7.5	6	5	36.1139.0
8	G1/2"	24	20.5	10	6	5	36.1140.0
10	G1/8"	17	29	5.5	4	10	36.1141.0
10	G1/4"	17	30.5	7.5	6	10	36.1142.0
10	G3/8"	20	27	7.5	8	5	36.1143.0
10	G1/2"	24	25	10	8	5	36.1144.0
12	G1/4"	21	32	7.5	6	5	36.1145.0
12	G3/8"	21	28	7.5	8	5	36.1146.0
12	G1/2"	24	30.5	10	8	5	36.1147.0


raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZCF-G


Raccordo diritto femmina
Straight female fitting
Фитинг прямой с внутренней
цилиндрической резьбой



tubo (øD) tube трубка	R	øP	B	G	A	ch1	confez. package упак.	codice code код
4	G1/8"	10	24	10	8.5	14	10	36.944.0
4	G1/4"	10	26.5	12.5	11	17	10	36.945.0
6	G1/8"	12	24.5	10.5	8.5	14	10	36.946.0
6	G1/4"	12	27	13	11	17	10	36.947.0
6	G3/8"	12	28	14	12	21	10	36.948.0
8	G1/8"	14	26	10.5	8.5	14	10	36.949.0
8	G1/4"	14	28.5	13	11	17	10	36.950.0
8	G3/8"	14	29.5	14	12	21	10	36.951.0
8	G1/2"	14	31.5	16	14	24	10	36.952.0
10	G1/4"	17	32.7	13	11	17	10	36.954.0
10	G3/8"	17	33	14	12	21	10	36.955.0
10	G1/2"	17	35.7	16	14	24	10	36.956.0
12	G1/4"	20	33.5	13	11	21	10	36.957.0
12	G3/8"	20	34.5	14	12	21	10	36.958.0
12	G1/2"	20	36.5	16	14	24	5	36.959.0

AZMF-G

Raccordo diritto femmina passaparte
Straight female fitting with external thread
for panel mounting
Фитинг прямой с гайкой для монтажной
панели и с внутренней цилиндрической
резьбой



tubo (øD) tube трубка	R	B	G	A	E max	ch1	ch2	M	confez. package упак.	codice code код
4	G1/8"	24	10	8.5	5	14	14	M12x1	10	36.842.0
4	G1/4"	26.5	12	11	5	17	14	M12x1	10	36.843.0
6	G1/8"	24.5	10.5	8.5	6	14	17	M14x1	10	36.844.0
6	G1/4"	27	13	11	6	17	17	M14x1	10	36.845.0
6	G3/8"	28	14	12	6	21	17	M14x1	10	36.846.0
8	G1/8"	26	10.5	8.5	7	17	19	M16x1	10	36.847.0
8	G1/4"	28.5	13	11	7	17	19	M16x1	10	36.848.0
8	G3/8"	29.5	14	12	7	21	19	M16x1	10	36.849.0
8	G1/2"	34	16	14	7	24	19	M16x1	10	36.850.0
10	G1/8"	30	10.5	8.5	8	21	24	M20x1	10	36.851.0
10	G1/4"	32.5	13	11	8	21	24	M20x1	10	36.852.0
10	G3/8"	33.5	14	12	8	21	24	M20x1	10	36.853.0
10	G1/2"	37.2	16	14	8	24	24	M20x1	5	36.854.0
12	G1/4"	33.5	13	11	10	24	27	M22x1	5	36.855.0
12	G3/8"	34.5	14	12	10	24	27	M22x1	5	36.856.0
12	G1/2"	37	16	14	10	24	27	M22x1	5	36.857.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZL-G

Raccordo a L orientabile maschio cilindrico

Swivel L-fitting with cylindric thread

Поворотный L-образный фитинг с цилиндрической резьбой и уплотнительным кольцом




tubo (øD) tube трубка	R	øP	B	E	A	ch	confez. package упак.	codice code код
4	M5	11.5	22.5	19	3.5	10	10	36.750.0
4	G1/8"	11.5	25.5	19	5.5	14	10	36.751.0
4	G1/4"	11.5	28	19	7.5	17	10	36.752.0
6	M5	13.5	23.2	19.2	3.5	12	10	36.753.0
6	G1/8"	13.5	25.7	19.2	5.5	14	10	36.754.0
6	G1/4"	13.5	28.2	19.2	7.5	17	10	36.755.0
6	G3/8"	13.5	28.7	19.2	7.5	20	10	36.756.0
8	G1/8"	15	29	22.5	5.5	14	10	36.757.0
8	G1/4"	15	31.5	22.5	7.5	17	10	36.758.0
8	G3/8"	15	32	22.5	7.5	20	10	36.759.0
8	G1/2"	15	34.5	22.5	10	24	10	36.760.0
10	G1/8"	19	34	27.8	5.5	17	10	36.761.0
10	G1/4"	19	36.5	27.8	7.5	17	10	36.762.0
10	G3/8"	19	36.5	27.8	7.5	20	10	36.763.0
10	G1/2"	19	40	27.8	10	24	5	36.764.0
12	G1/4"	21.5	38.5	29.5	7.5	21	10	36.765.0
12	G3/8"	21.5	38.5	29.5	7.5	21	10	36.766.0
12	G1/2"	21.5	41.5	29.5	10	24	5	36.767.0
16	G3/8"	26.5	42.5	33	7.5	24	5	36.769.0
16	G1/2"	26.5	44.5	33	10	24	5	36.770.0

AZUL

Raccordo a L intermedio

Intermediate elbow connector

L-образный фитинг-соединитель



tubo (øD) tube трубка	øP	F	øU	B	confez. package упак.	codice code код
4	11.5	7	3.2	19	10	36.970.0
6	13.5	8	3.2	19.2	10	36.971.0
8	15	9.5	3.2	22.5	10	36.972.0
10	19	12	4.2	27.8	10	36.973.0
12	21.5	13	4.2	29.5	5	36.974.0
16	26.5	-	-	33	5	36.975.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZLN-G

Raccordo a L orientabile maschio cilindrico - **MINI**

Swivel L-fitting with cylindric thread - **MINI**

Поворотный L-образный фитинг с цилиндрической резьбой и уплотнительным кольцом - **МИНИ**



tubo (ØD) tube трубка	R	ØP	B	E	A	ch	confez. package упак.	codice code код
4	M5	9.5	17.2	14	3.5	10	10	36.1160.0
4	G1/8"	11.5	20.5	17	5.5	14	5	36.1161.0
4	G1/4"	11.5	20	19	7.7	17	5	36.1162.0
6	M5	11.5	17.2	15	3.5	8	10	36.1163.0
6	G1/8"	13.5	21.5	19.2	5.5	14	5	36.1164.0
6	G1/4"	13.5	21	19.2	7.5	17	5	36.1165.0
6	G3/8"	13.5	22	19.2	7.5	20	5	36.1166.0
8	G1/8"	15	22.2	22.5	5.5	14	5	36.1167.0
8	G1/4"	15	21.7	22.5	7.5	17	5	36.1168.0
8	G3/8"	15	22.7	22.5	7.5	20	5	36.1169.0
8	G1/2"	15	25	22.5	10	24	5	36.1170.0
10	G1/8"	19	26.9	27.8	5.5	14	5	36.1171.0
10	G1/4"	19	28.4	27.8	7.5	17	5	36.1172.0
10	G3/8"	19	24.7	27.8	7.5	20	5	36.1173.0
10	G1/2"	19	28.2	27.8	10	24	5	36.1174.0
12	G1/4"	21.5	29.7	29.5	7.5	17	5	36.1175.0
12	G3/8"	21.5	26	29.5	7.5	20	5	36.1176.0
12	G1/2"	21.5	29.5	29.5	10	24	5	36.1177.0
16	G3/8"	26.5	39.5	34	7.5	24	5	36.1178.0
16	G1/2"	26.5	34	34	10	24	5	36.1179.0



raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZLL-G


Raccordo a L orientabile lungo, maschio cilindrico
Long swivel L-fitting with cylindric thread
Длинный поворотный L-образный фитинг с
цилиндрической резьбой и уплотнительным кольцом



tubo (øD) tube трубка	R	øP	B	E	A	ch	confez. package упак.	codice code код
4	M5	11.5	34.5	19	3.5	10	10	36.771.0
4	G1/8"	11.5	37.5	19	5.5	14	10	36.772.0
4	G1/4"	11.5	39.5	19	7.5	17	10	36.773.0
6	M5	13.5	36.5	19.2	3.5	12	10	36.774.0
6	G1/8"	13.5	39.2	19.2	5.5	14	10	36.775.0
6	G1/4"	13.5	41.7	19.2	7.5	17	10	36.776.0
6	G3/8"	13.5	43.2	19.2	7.5	20	10	36.777.0
8	G1/8"	15	44.3	22.5	5.5	14	10	36.778.0
8	G1/4"	15	46.3	22.5	7.5	17	10	36.779.0
8	G3/8"	15	48	22.5	7.5	20	5	36.780.0
8	G1/2"	15	50.3	22.5	10	24	5	36.781.0
10	G1/8"	19	56	27.8	5.5	17	5	36.782.0
10	G1/4"	19	56.5	27.8	7.5	17	5	36.783.0
10	G3/8"	19	56.5	27.8	7.5	20	5	36.784.0
10	G1/2"	19	60	27.8	10	24	5	36.785.0
12	G1/4"	21.5	61.5	29.5	7.5	21	2	36.786.0
12	G3/8"	21.5	62	29.5	7.5	21	2	36.787.0
12	G1/2"	21.5	65	29.5	10	24	2	36.788.0

AZH-G

Asta con filetto maschio cilindrico assemblata con
anello singolo
Complete single assembled banjo
Угловой фитинг с серьгой. Цилиндрическая резьба.



tubo (øD) tube трубка	R	øP	øJ	B	A	ch	F	confez. package упак.	codice code код
4	M5	11.5	10	17.3	3.5	8	20.5	10	36.1048.0
4	G1/8"	11.5	14.2	23	5.5	12	23.5	10	36.1049.0
4	G1/4"	11.5	18.2	26.3	7.5	14	25.5	10	36.1050.0
6	M5	13.5	10	17.3	3.5	8	22	10	36.1051.0
6	G1/8"	13.5	14.2	23	5.5	12	23.5	10	36.1052.0
6	G1/4"	13.5	18.2	26.3	7.5	14	25.4	10	36.1053.0
6	G3/8"	13.5	21.8	32	7.5	19	29.5	5	36.1054.0
8	G1/8"	15	14.2	23	5.5	12	26.5	10	36.1055.0
8	G1/4"	15	18.2	26.3	7.5	14	28.9	10	36.1056.0
8	G3/8"	15	21.8	32	7.5	19	29.8	5	36.1057.0
8	G1/2"	15	28	39	10	24	32.5	5	36.1058.0
10	G1/4"	19	18.2	26.3	7.5	14	32.6	5	36.1059.0
10	G3/8"	19	21.8	32	7.5	19	33	5	36.1060.0
10	G1/2"	19	28	39	10	24	36	5	36.1061.0
12	G1/4"	21.5	18.2	26.3	7.5	14	33.5	5	36.1062.0
12	G3/8"	21.5	21.8	32	7.5	19	35.5	5	36.1063.0
12	G1/2"	21.5	28	39	10	24	36.5	5	36.1064.0


raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZMM


Raccordo diritto intermedio passaparete
Intermediate straight connector for panel mounting
Фитинг-соединитель прямой с монтажной
резьбой на корпусе и гайками



tubo (ØD) tube трубка	M	B	ch	E max	confez. package упак.	codice code код
4	M12x1	30.5	14	9.5	10	36.792.0
6	M14x1	31	17	7.5	10	36.793.0
8	M16x1	34.5	19	6.5	10	36.794.0
10	M20x1	41.5	24	11.5	10	36.795.0
12	M22x1	44.5	26	12.5	5	36.796.0

AZUC


Raccordo diritto intermedio
Intermediate straight connector
Фитинг-соединитель прямой



tubo (ØD) tube трубка	ØP	F	ØU	B	confez. package упак.	codice code код
4	11.5	6	3.2	34	10	36.960.0
6	13.5	6.7	3.2	35.5	10	36.961.0
8	15	7.6	3.2	38.5	10	36.962.0
10	19	9	4.2	48	10	36.963.0
12	21.5	10	4.2	49	10	36.964.0
16	26.5	-	-	64	5	36.965.0

AZG

Raccordo diritto intermedio con riduzione
Intermediate straight connector with reduction
Фитинг-соединитель прямой с редукцией



tubo (ØDA) tube трубка	tubo (ØDB) tube трубка	ØPA	ØPB	F	ØU	B	confez. package упак.	codice code код
6	4	13.5	11	6.7	3.2	34.5	10	36.966.0
8	6	15	13	7.6	3.2	36.5	10	36.967.0
10	8	19	14.4	9	3.2	44	10	36.968.0
12	10	19	18.4	10	4.2	49	10	36.969.0


raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZT-G

Raccordo a T orientabile maschio cilindrico
Swivel T-fitting, cylindric thread on the central leg
Поворотный Т-образный фитинг с цилиндрической резьбой и уплотнительным кольцом




tubo (ØD) tube трубка	R	ØP	B	E	A	ch	confez. package упак.	codice code код
4	M5	11.5	22.5	38	3.5	10	10	36.821.0
4	G1/8"	11.5	25.5	38	5.5	14	10	36.822.0
4	G1/4"	11.5	28	38	7.5	17	10	36.823.0
6	M5	13.5	23.2	39	3.5	12	10	36.824.0
6	G1/8"	13.5	26.7	39	5.5	14	10	36.825.0
6	G1/4"	13.5	28.2	39	7.5	17	10	36.826.0
6	G3/8"	13.5	28.7	39	7.5	20	10	36.827.0
8	G1/8"	15	29	45	5.5	14	10	36.828.0
8	G1/4"	15	31.5	45	7.5	17	10	36.829.0
8	G3/8"	15	32	45	7.5	20	10	36.830.0
8	G1/2"	15	34.5	45	10	24	5	36.831.0
10	G1/8"	19	34.5	57	5.5	17	5	36.832.0
10	G1/4"	19	37	57	7.5	17	5	36.833.0
10	G3/8"	19	37	57	7.5	20	5	36.834.0
10	G1/2"	19	40.5	57	10	24	5	36.835.0
12	G1/4"	21.5	38.5	59	7.5	21	5	36.836.0
12	G3/8"	21.5	38.5	59	7.5	21	5	36.837.0
12	G1/2"	21.5	41.5	59	10	24	5	36.838.0
16	G3/8"	26.5	42.5	66	7.5	24	4	36.840.0
16	G1/2"	26.5	44.5	66	10	24	4	36.841.0

8

AZUT

Raccordo a T intermedio
T-connector
Т-образный фитинг-соединитель



tubo (ØD) tube трубка	L	ØP	ØU	F	B	confez. package упак.	codice code код
4	38	11.5	3.2	7	19	10	36.976.0
6	39	13	3.2	8	19.2	10	36.977.0
8	45	15	3.2	9.5	22.5	10	36.978.0
10	57	19	4.2	12	27.8	5	36.979.0
12	59	21.5	4.3	13	29.5	5	36.980.0
16	64	26.5	-	-	32	4	36.981.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZST-G

Raccordo a T orientabile maschio laterale cilindrico

Swivel T-fitting, cylindric thread on the lateral leg

Поворотный Т-образный фитинг с боковой цилиндрической резьбой и уплотнительным кольцом




tubo (øD) tube трубка	R	øP	B	E	øU	F	A	ch	confez. package упак.	codice code код
4	M5	11.5	22.5	19	3.2	7	3.5	10	10	36.859.0
4	G1/8"	11.5	25.5	19	3.2	7	5.5	14	10	36.860.0
4	G1/4"	11.5	28	19	3.2	7	7.5	17	10	36.861.0
6	M5	13.5	23.2	19.2	3.2	8	3.5	12	10	36.862.0
6	G1/8"	13.5	25.7	19.2	3.2	8	5.5	14	10	36.863.0
6	G1/4"	13.5	28.2	19.2	3.2	8	7.5	17	10	36.864.0
6	G3/8"	13.5	28.7	19.2	3.2	8	7.5	20	10	36.865.0
8	G1/8"	15	29	22.5	3.2	9	5.5	14	10	36.866.0
8	G1/4"	15	31.5	22.5	3.2	9	7.5	17	10	36.867.0
8	G3/8"	15	32	22.5	3.2	9	7.5	20	10	36.868.0
8	G1/2"	15	34.5	22.5	3.2	9	10	24	5	36.869.0
10	G1/8"	19	34.5	28.5	4.2	12	5.5	17	5	36.870.0
10	G1/4"	19	37	28.5	4.2	12	7.5	17	5	36.871.0
10	G3/8"	19	37	28.5	4.2	12	7.5	20	5	36.872.0
10	G1/2"	19	40.5	28.5	4.2	12	10	24	5	36.873.0
12	G1/4"	21.5	38.5	29.5	4.2	13.5	7.5	21	5	36.874.0
12	G3/8"	21.5	38.5	29.5	4.2	13.5	7.5	21	5	36.875.0
12	G1/2"	21.5	41.5	29.5	4.2	13.5	10	24	5	36.876.0
16	G3/8"	26.5	42.5	33	5.2	15	7.5	24	4	36.878.0
16	G1/2"	26.5	44	33	5.2	15	10	24	4	36.879.0

AZZA

Raccordo a croce intermedio

Cross connector

Крестообразный фитинг-соединитель



tubo (øD) tube трубка	øP	F	øU	B	confez. package упак.	codice code код
4	11.5	7	3.2	38	10	36.991.0
6	13.5	8	3.2	39	10	36.992.0
8	15	9.5	3.2	45	5	36.993.0
10	19	12	4.2	57	5	36.994.0
12	21.5	13	4.3	59	5	36.995.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZWT-G

Raccordo a Y orientabile maschio cilindrico

Swivel Y-fitting, cylindric thread on the central leg

Поворотный Y-образный фитинг с цилиндрической резьбой и уплотнительным кольцом




tubo (ØD) tube трубка	R	ØP	B	F	ØU	J	A	ch	confez. package упак.	codice code код
4	M5	11.5	40	14.5	3.2	11	3.5	10	10	36.880.0
4	G1/8"	11.5	43	14.5	3.2	11	5.5	14	10	36.881.0
4	G1/4"	11.5	45.5	14.5	3.2	11	7.5	17	10	36.882.0
6	M5	13.5	41.5	15	3.2	13	3.5	12	10	36.883.0
6	G1/8"	13.5	44	15	3.2	13	5.5	14	10	36.884.0
6	G1/4"	13.5	46.5	15	3.2	13	7.5	17	10	36.885.0
6	G3/8"	13.5	47	15	3.2	13	7.5	20	10	36.886.0
8	G1/8"	15	46.3	18	3.2	15	5.5	14	10	36.887.0
8	G1/4"	15	48.8	18	3.2	15	7.5	17	10	36.888.0
8	G3/8"	15	49.3	18	3.2	15	7.5	20	10	36.889.0
8	G1/2"	15	51.8	18	3.2	15	10	24	5	36.890.0
10	G1/8"	19	56	21	4.2	18	5.5	17	5	36.891.0
10	G1/4"	19	58.5	21	4.2	18	7.5	17	5	36.892.0
10	G3/8"	19	58.5	21	4.2	18	7.5	20	5	36.893.0
10	G1/2"	19	62	21	4.2	18	10	24	5	36.894.0
12	G1/4"	21.5	62	21.5	4.2	21	7.5	20	5	36.895.0
12	G3/8"	21.5	62	21.5	4.2	21	7.5	20	5	36.896.0
12	G1/2"	21.5	65	21.5	4.2	21	10	24	5	36.897.0

AZWJ

Raccordo a Y con codolo riduzione

Y-connector with male adapter and reducer

Y-образный фитинг-редуктор со штуцером



tubo (ØD2) tube трубка	tubo (ØD1) tube трубка	ØP	F	J	ØU	B	E	confez. package упак.	codice code код
6	4	11.5	14.5	11	3.2	52.8	19	10	36.1025.0
8	6	13.5	15	13	3.2	55.5	20.5	10	36.1026.0
10	8	15	18	15	3.2	62	24.7	5	36.1027.0
12	10	19	21	18	4.2	72.5	26	5	36.1028.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZW

Raccordo a Y intermedio con riduzione

Y-connector with reduction

Y-образный фитинг-соединитель с редукцией



tubo (øDA) tube трубка	tubo (øDB) tube трубка	øPA	øPB	F	J	øU	B	confez. package упак.	codice code код
6	4	13.5	13.5	15	13	3.2	37.5	10	36.987.0
8	6	15	15	18	15	3.2	39.8	10	36.988.0
10	8	19	19	21	18	4.2	50	10	36.989.0
12	10	21.5	21.5	21.5	21	4.2	53	5	36.990.0




AZY

Raccordo a Y intermedio

Y-connector

Y-образный фитинг-соединитель




tubo (øD) tube трубка	øP	F	J	øU	B	confez. package упак.	codice code код
4	11.5	14.5	11	3.2	36.5	10	36.982.0
6	13.5	15	13	3.2	37.5	10	36.983.0
8	15	18	15	3.2	39.8	10	36.984.0
10	19	21	18	4.2	50	10	36.985.0
12	21.5	21.5	21	4.2	53	5	36.986.0

AZYJ

Raccordo a Y con codolo

Y-connector with male adapter

Y-образный фитинг со штуцером



tubo (øD1) tube трубка	tubo (øD2) tube трубка	øP	F	J	øU	B	E	confez. package упак.	codice code код
4	4	11.5	14.5	11	3.2	52.5	19	10	36.1020.0
6	6	13.5	15	13	3.2	53.8	19	10	36.1021.0
8	8	15	18	15	3.2	57.8	20.5	10	36.1022.0
10	10	19	21	18	4.2	71	24.5	5	36.1023.0
12	12	21.5	21.5	21	4.2	75.5	26	5	36.1024.0


raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZL45-G


Raccordo a 45° orientabile maschio cilindrico
Swivel 45° fitting
Поворотный фитинг 45° с цилиндрической
резьбой и уплотнительным кольцом



tubo (ØD) tube трубка	R	ØP	B	G	E	A	ch	confez. package упак.	codice code код
4	G1/8"	11.3	25.5	42.5	19	5.5	14	10	36.1070.0
4	G1/4"	11.3	28	45	19	7.5	17	10	36.1071.0
6	G1/8"	13.3	25.5	43.5	19.2	5.5	14	10	36.1073.0
6	G1/4"	13.3	28	46	19.2	7.5	17	10	36.1074.0
8	G1/8"	14.8	29	49.5	22.5	5.5	14	10	36.1076.0
8	G1/4"	14.8	31.5	52	22.5	7.5	17	10	36.1077.0
8	G1/2"	14.8	34.5	55	22.5	10	24	10	36.1079.0
10	G1/8"	18.7	33.5	60	27.8	5.5	17	10	36.1080.0
10	G1/4"	18.7	36	62.5	27.8	7.5	17	10	36.1081.0
10	G1/2"	18.7	39.5	66	27.8	10	24	5	36.1083.0
12	G1/4"	21.3	38.5	66.5	29.5	7.5	21	5	36.1084.0
12	G1/2"	21.3	41.5	69.5	29.5	10	24	5	36.1086.0

AZUL45


Raccordo intermedio a 45°
45° intermediate connector
Фитинг-соединитель 45°



tubo (ØD) tube трубка	ØP	E	confez. package упак.	codice code код
4	11	18.2	10	36.1087.0
6	13	18.7	10	36.1088.0
8	14.4	22	10	36.1089.0
10	18.4	26	10	36.1090.0
12	21	29.5	5	36.1091.0

AZGJ

Riduzione
Reducer
Редуктор



tubo (ØD1) tube трубка	tubo (ØD2) tube трубка	ØP	B	E	confez. package упак.	codice code код
6	4	10	35	19	10	36.1007.0
8	4	10	34	21	10	36.1008.0
8	6	12	36	20.5	10	36.1009.0
10	6	12	41	24.2	10	36.1010.0
10	8	14	42	24.5	10	36.1011.0
12	6	13.5	38.5	25	10	36.1012.0
12	8	14	42.5	25	10	36.1013.0
12	10	17	46	25	10	36.1014.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZKD-G

Raccordo multi T orientabile maschio cilindrico

Swivel multi T-fitting with cylindric thread at one end

Поворотный разветвитель с цилиндрической резьбой и уплотнительным кольцом.




tubo (ØDA) tube трубка	tubo (ØDB) tube трубка	R	ØPA	ØPB	J	A	ch	FA	FB	ØU	B	confez. package упак.	codice code код
6	4	G1/8"	14.4	13	13	5.5	14	9	41	3.2	65	5	36.901.0
8	4	G1/4"	18.4	14.4	14.5	7	17	11	48	4.2	87	5	36.902.0
8	6	G1/4"	18.4	14.4	14.5	7	17	11	48	4.2	87	5	36.903.0
10	8	G3/8"	18.4	14.4	14.5	7.5	20	11	48	4.2	89	5	36.904.0

AZKG

Raccordo multi T intermedio

Multi T-connector

Разветвитель-соединитель



tubo (ØD1) tube трубка	tubo (ØD2) tube трубка	ØP1	ØP2	J	F1	F2	ØU	B	confez. package упак.	codice code код
6	4	14.5	13	11	8	36	3.2	58	5	36.996.0
8	4	18.4	14.5	13	9	42	3.2	62	5	36.997.0
8	6	18.4	14.5	14.5	9	48	3.2	81	5	36.998.0
10	6	19	14.5	14.5	11.5	61	4.2	87	5	36.999.0
10	8	19	14.4	14.5	11.5	61	4.2	87	5	36.1000.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные




AZKJ

Raccordo multi T con codolo

Multi T-connector with male adapter

Разветвитель-соединитель со штуцером




tubo (øD1) tube трубка	tubo (øD2) tube трубка	øD3	øP1	øP2	J	F1	F2	øU	B	E	confez. package упак.	codice code код
6	4	6	14.4	13	13	9	42	3.2	81	20	5	36.1002.0
8	4	8	18.4	14.4	14.5	11	48	4.2	104.5	22	5	36.1003.0
8	6	8	18.4	14.4	14.5	11	48	4.2	106	23.5	5	36.1004.0
10	8	10	18.4	14.4	14.5	11	48	4.2	109.5	26	5	36.1006.0

AZLJ

Raccordo a L con codolo

Elbow connector with male adapter

L-образный фитинг со штуцером



tubo (øD) tube трубка	øP	F	øU	E	B	confez. package упак.	codice code код
4	11.5	7	3.2	33.7	19	10	36.1015.0
6	13.5	8	3.2	34	19.2	10	36.1016.0
8	15	10	3.2	38.5	22.5	10	36.1017.0
10	19	12	4.2	46.8	27.8	10	36.1018.0
12	21.5	13.5	4.2	49.5	29.5	5	36.1019.0


raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZP


Tappo maschio
Plug
Заглушка



tubo (øD) tube трубка	øP1	øP2	C	B	confez. package упак.	codice code код
4	3	5	15	28	10	36.1035.0
6	3	7	17	33	10	36.1036.0
8	4	9	18	37	10	36.1037.0
10	5	11	20.5	42	10	36.1038.0
12	6	13	23	44	10	36.1039.0

AZIJ


Giunzione doppia
Double connector for push-in fittings
Трубка-соединитель к цанговым фитингам



tubo (øD1) tube трубка	øD2	C	B	confez. package упак.	codice code код
6	7	19	39.5	10	36.1030.0
8	9	21.5	45	10	36.1031.0
10	11	23	48.5	10	36.1032.0
12	13.5	25	53	10	36.1033.0
16	18	28	59.5	10	36.1034.0

AZIG

Giunzione doppia con riduzione
Double connector with reducer for push-in fittings
Трубка-соединитель с редукцией к цанговым фитингам



tubo (øD1) tube трубка	tubo (øD2) tube трубка	øP	C1	C2	B	confez. package упак.	codice code код
6	4	7	19	17	37.5	10	36.1040.0
8	6	9	21.5	19	42.5	10	36.1042.0
10	8	11	23	21.5	47	10	36.1044.0
12	10	13.5	25	23	51	10	36.1046.0
16	12	18	28	25	56.5	5	36.1047.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные






AZSC-GV

Raccordo a L con regolatore di flusso per valvola

L-fitting with flow regulator for valve

L-образный дроссель с обратным клапаном для распределителей




tubo (ØD) tube трубка	R	ØP	B	A	F	ch	confez. package упак.	codice code код
4	G1/8"	11.5	42	5.5	23.5	12	10	36.923.0
6	G1/8"	13.5	42	5.5	23.5	12	10	36.926.0
6	G1/4"	13.5	48	7.5	25.4	14	10	36.927.0
8	G1/8"	15	42	5.5	26.5	12	10	36.929.0
8	G1/4"	15	48	7.5	28.9	14	10	36.930.0
8	G3/8"	15	53	7.5	29.8	19	5	36.931.0
8	G1/2"	15	61	10	32.5	24	5	36.932.0
10	G1/4"	19	48	7.5	32.6	14	5	36.933.0
10	G3/8"	19	53	7.5	33	19	5	36.934.0
10	G1/2"	19	61	10	36	24	5	36.935.0
12	G1/4"	21.5	48	7.5	33.5	14	5	36.936.0
12	G3/8"	21.5	53	7.5	35.5	19	5	36.937.0
12	G1/2"	21.5	61	10	36.5	24	5	36.938.0

NSF

Regolatore di flusso unidirezionale

Uni-directional flow regulator

Дроссель



tubo (ØD) tube трубка	ØP	J	F	ØU	B1	B2	confez. package упак.	codice code код
4	10.5	14	6.5	3.2	40.5	22.5	10	36.939.0
6	12.5	20	8.5	4.3	48.7	34	10	36.940.0
8	14	22	9.5	4.3	54.4	34.5	5	36.941.0
10	18	26	10.5	4.3	64.3	40	5	36.942.0
12	20.6	32	13	4.3	74.6	40.5	5	36.943.0

raccordi automatici in polimero

push-in fittings фитинги цанговые быстроразъёмные



AZSC-G



Raccordo a L con regolatore di flusso per cilindro

L-fitting with flow regulator for cylinder

L-образный дроссель с обратным клапаном для цилиндров



tubo (øD) tube трубка	R	øP	B	A	F	ch	confez. package упак.	codice code код
4	M5	11	29	3.5	20	8	10	36.905.0
4	G1/8"	11.5	42	5.5	23.5	12	10	36.906.0
6	M5	13	29	3.5	20	8	10	36.908.0
6	G1/8"	13.5	42	5.5	23.5	12	10	36.909.0
6	G1/4"	13.5	48	7.5	25.4	14	10	36.910.0
8	G1/8"	15	42	5.5	26.5	12	10	36.912.0
8	G1/4"	15	48	7.5	28.9	14	10	36.913.0
8	G3/8"	15	53	7.5	29.8	19	5	36.914.0
8	G1/2"	15	61	10	32.5	24	5	36.915.0
10	G1/4"	19	48	7.5	32.6	14	5	36.916.0
10	G3/8"	19	53	7.5	33	19	5	36.917.0
10	G1/2"	19	61	10	36	24	5	36.918.0
12	G1/4"	21.5	48	7.5	33.5	14	5	36.919.0
12	G3/8"	21.5	53	7.5	35.5	19	5	36.920.0
12	G1/2"	21.5	61	10	36.5	24	5	36.921.0



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93